

The following guidelines will assist in the utilization of the City of Mount Gambier brand, to ensure that it is at all times consistent, communicative and attractive. Appropriate approval and final check must be sought before any publishing of this brand from appointed City of Mount Gambier delegate.

## THE LOGO

All though more abstract and contemporary in execution, this logo employs the same iconography as Mount Gambier's former branding: a mountainous form, a tree and a lake. This abbreviation of the City's diverse natural landmarks and resources communicates succinctly to the viewer that Mount Gambier is a place of extraordinary natural beauty and economic potential. The colour palette has also been reconsidered to reflect the vibrancy and forward-thinking of the City.


## PRIMARY LOGO

This is the primary logo for the City of Mount Gambier and should be used on a white background.



## MINIMUM SIZE

To avoid any reproduction issues, a minimum width of 30mm (proportionally scaled) has been specified.



## CLEAR SPACE

Clear space refers to an invisible area surrounding the logo which must remain clear of individual elements such as type or the edge of a page.

Demonstrated here is the formula for calculating the minimum clear space required. It is based on the height of the letter M.

Where possible, allow more clear space around the logo than the minimum specified.



# City of Mount Gambier

## Simplified Style Guide



### SECONDARY LOGO


Only to be used as a secondary option to the Primary logo, this version has been crafted for spaces taller than they are wide. This logo should be used on a white background.

City of  
Mount Gambier



### MINIMUM SIZE

To avoid any reproduction issues, a minimum width of 20mm (proportionally scaled) has been specified.




20mm

### MINIMUM SIZE

Clear space refers to an invisible area surrounding the logo which must remain clear of individual elements such as type or the edge of a page.

Demonstrated here is the formula for calculating the minimum clear space required. It is based on the height of the letter M.

Where possible, allow more clear space around the logo than the minimum specified.



### BLACK AND WHITE

Only to be used on a colour background. The same requirements are to be followed re. size and clear space.



City of  
Mount Gambier

City of  
Mount Gambier



### REVERSE

Only to be used on a colour background. the same requirements are to be followed re. size and clear space.

## TYPEFACE

PRIMARY TYPEFACE      Benton Sans Book      ABCDE abcde 12345 !@#\$\$%

SECONDARY TYPEFACE\*      Arial      ABCDE abcde 12345 !@#\$\$%

\* Arial can be substituted wherever Benton Sans is not available.

---

## COLOUR

The City of Mount Gambier logo must be reproduced using the Pantone Matching System (PMS) where possible for print, and RGB/HTML for screen. For instances where PMS colours cannot be used, the equivalent process (CMYK) colours are specified.

### PRIMARY COLOUR PALETTE



*Coated*  
Pantone® Cool Grey 9C  
**C30 M22 Y17 K57**  
**R117 G120 B123**  
**HTML 75787B**



*Coated*  
Pantone® 7535C  
**C10 M11 Y23 K19**  
**R183 G176 B156**  
**HTML B7B09C**



*Coated*  
Pantone® 348C  
**C96 M2 Y100 K12**  
**R0 G132 B161**  
**HTML 00843D**



*Coated*  
Pantone® 299C  
**C86 M8 Y0 K0**  
**R0 G163 B224**  
**HTML 00A3E0**

*Uncoated*  
Pantone® Cool Grey 9U  
**C28 M16 Y12 K35**

*Uncoated*  
Pantone® 7536U  
**C27 M22 Y32 K2**

*Uncoated*  
Pantone® 356U  
**C80 M3 Y93 K70**

*Uncoated*  
Pantone® Process Cyan U  
**C100 M0 Y0 K0**

### SECONDARY COLOUR PALETTE

Where required, the City of Mount Gambier's brand identity uses a secondary colour palette, using colours that are familiar with its overarching style. Percentage tints can be used in addition to any of these colours. Other colours may be used where appropriate. These colours are NOT a substitute for the primary colours when used in the logo.



*Coated*  
Pantone® 123C  
**C0 M11 Y80 K0**  
**R255 G199 B44**  
**HTML FFC72C**



*Coated\**  
Pantone® Purple C  
**C43 M90 Y0 K0**  
**R187 G41 B187**  
**HTML BB29BB**



*Coated\**  
Pantone® 151C  
**C0 M55 Y100 K0**  
**R255 G130 B0**  
**HTML FF8200**



*Coated\**  
Pantone® 2597C  
**C78 M94 Y0 K0**  
**R92 G6 B140**  
**HTML 5C068C**

*Uncoated*  
Pantone® 115U  
**C0 M11 Y94 K0**

*Uncoated\**  
Pantone® Purple U  
**C25 M60 Y0 K0**

*Uncoated\**  
Pantone® 151U  
**C0 M43 Y91 K0**

*Uncoated\**  
Pantone® 2597U  
**C52 M69 Y0 K0**

\* Considerable colour shift from spot to process colour.

# Simplified Style Guide



*Coated*  
Pantone® Warm Red C\*  
**C0 M83 Y80 K0**  
**R249 G66 B58**  
**HTML F9423A**

*Uncoated\**  
Pantone® Warm Red U  
**C0 M58 Y57 K0**



*Coated*  
Pantone® 3272C  
**C98 M0 Y42 K0**  
**R0 G164 B154**  
**HTML 00A49A**

*Uncoated*  
Pantone® 3272U  
**C78 M0 Y42 K0**



*Coated*  
Pantone® 213C  
**C0 M92 Y18 K0**  
**R227 G28 B121**  
**HTML E31C79**

*Uncoated*  
Pantone® 213U  
**C0 M85 Y10 K0**



*Coated*  
Pantone® 382C  
**C28 M0 Y100 K0**  
**R196 G214 B0**  
**HTML C4D600**

*Uncoated*  
Pantone® 388U  
**C16 M0 Y77 K0**

---

\* Considerable colour shift from spot to process colour.